

FUNGICIDE



Contents: **5L**e

**FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE.
FOR PROFESSIONAL USE ONLY**

For the control of alternaria in potatoes

Emulsifiable concentrate containing 250 g/L (23.6 % w/w)
difenoconazole

MAPP No: 17424

GROUP **3** FUNGICIDE

Production date / Batch number: see packaging

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to
the use of this product at work.



For warehouse
purpose only:



MARKETING COMPANY AND APPROVAL HOLDER: **GLOBACHEM NV**
Lichtenberglaan 2019 | BE-3800 Sint-Truiden
www.globachem.com



Distributor: **Belchim Crop Protection Limited**
1b Fenice Court, Phoenix Park, Eaton Socon, St. Neots, Cambridgeshire PE19 8EW
Tel.: 01480 403333 | Fax: 01480 403444 | info-uk@belchim.com | www.belchim.co.uk



20_05251503_41 | 04121-UK

SAFETY PRECAUTIONS

OPERATOR PROTECTION

Engineering control of operator exposure must be used where reasonably practical in addition to the following personal protective equipment:

* WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

* WASH HANDS AND EXPOSED SKIN before meals and after work.

* If you feel unwell, seek medical advice immediately and show this container or label.

* In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

* When using, do not eat, drink or smoke.

ENVIRONMENTAL PROTECTION

* Do not contaminate water with the product or its container.

* Do not clean application equipment near surface water.

* Avoid contamination via drains from farmyards and roads.

* To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements. Use appropriate containment to avoid environmental contamination.

* DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 m of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 m of the top of a ditch which is dry at the time of application. Aim spray away from water.

* Where the product has a buffer zone of 5m or less (for horizontal boom sprayers without DRT) - a buffer zone of 1m from the top of the bank of a static or flowing water body will apply for hand-held spray application.

* Where the product has a buffer zone of >5m (for horizontal boom sprayers without DRT) - the same buffer zone from the top of the bank of a static or flowing water body will apply for hand-held spray application.

* This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP)

scheme. Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years.

* RISK TO NON-TARGET INSECTS OR OTHER ARTHROPODS. Avoid spraying within 5 m of the field boundary to reduce effects on non-target insects or other arthropods.

STORAGE AND DISPOSAL

* Keep away from food, drink and animal feedingstuffs.

* Keep out of the reach of children.

* DO NOT RE-USE CONTAINER for any purpose.

* KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

* On emptying the container, RINSE CONTAINER THOROUGHLY. Empty remaining contents in to spray tank.

* Empty containers should be taken for local recycling or waste disposal in accordance with local legal requirements. Do not re-use empty containers.

* THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

* Store in a cool, dry place.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

CROP SPECIFIC INFORMATION

KIX controls *Alternaria spp.* in potatoes. Up to 4 applications can be made at a 10-14 day interval at a dose of 0.5 L/ha in 200-350 L water/ha. First application should be at first signs of disease or following local warnings. Respect a pre-harvest interval of 14 days.

MIXING AND SPRAYING

Make sure the sprayer is set to give an even application at the correct volume.

Fill the spray tank with half the required volume of clean water and start agitation. Add the required amount of KIX and continue agitation while adding the rest of the water. Agitate the mixture thoroughly before use and continue

agitation during spraying.
Thoroughly wash all spray equipment with water immediately after use.

COMPATIBILITY

In case of tank mixes with trace elements, it is recommended that KIX is added first to the tank with constant agitation and the mixture is sprayed without delay.

The user should ensure that all products to be tank mixed with KIX are approved for use on the crops which are to be sprayed. Always refer to other manufacturers product information when mixing to ensure correct product use. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

WARRANTY

The seller makes no warranty, expressed or implied, with regard to the use of the product other than that indicated on the label. The purchaser and user shall assume all risk associated with use and/or handling and/or the storage of the product, if this use and/or handling and/or storage are carried out contrary to the instructions on the label.

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



WEBLINK to specific data sheet
on manufacturer's website:

www.belchim.co.uk/pdf/MSDS/Kix_MSDS.pdf

Alternatively, contact your supplier.

IMPORTANT INFORMATION - FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crops	Max. individual dose (L/ha)	Max number of applications (per crop)	Latest time of application
Potatoes	0.5 L/ha	4	14 days before harvest

Other specific restrictions:

- 1) This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme. Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with the 'Local Environment Risk Assessment for Pesticides Horizontal Boom Sprayers' booklet available from the HSE Chemicals Regulation Division's website or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years.
- 2) Do not re-use container for any purpose.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

KIX

Emulsifiable concentrate containing 250 g/l (23.6 % w/w) difenoconazole



DANGER

- H302 Harmful if swallowed**
- H304 May be fatal if swallowed and enters airways**
- H319 Causes serious eye irritation**
- H411 Toxic to aquatic life with long lasting effects**

- P102 Keep out of reach of children
- P280 Wear eye protection
- P301+P310 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
- P331 Do NOT induce vomiting
- P337+P313 If eye irritation persists: Get medical advice/attention
- P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
- SP1 Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

EUH401 To avoid risks to human health and the environment, comply with the instructions for use

READ THE PRECAUTIONS ON THE BOTTLE LABEL BEFORE USE