

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Ranman Top
Product code : IKF-916 160SC; IBE 3967
Type of product : SC (Suspension Concentrate)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Fungicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Belchim Crop Protection NV/SA
Technologielaan 7
1840 Londerzeel - Belgium
T +32 (0)52 30 09 06 - F +32 (0)52 30 11 35
info@belchim.com - www.belchim.com

1.4. Emergency telephone number

Emergency number : +32(0)14584545
24 H/7 days/English/French/German/Dutch

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H319 - Causes serious eye irritation.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P264 - Wash hands, forearms and face thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective gloves, face protection, protective clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P391 - Collect spillage.
P501 - Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

EUH-statements :

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolyimidazole-1-sulfonamide	(CAS-No.) 120116-88-3 (EC Index-No.) 616-166-00-8	10 – 20	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
1,1,1,3,5,5-Heptamethyl-3-(propyl(poly(EO))hydroxy)trisiloxane	(CAS-No.) 67674-67-3	10 – 20	Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Methylnaphtalenesulfonic acid/formaldehyde, copolymer, sodium salt	(CAS-No.) 81065-51-2	1 – 5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Docusate sodium	(CAS-No.) 577-11-7 (EC-No.) 209-406-4 (REACH-no) 01-2119491296-29	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Consult a doctor/medical service if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash skin with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic and corrosive vapours may be released. Nitrous fumes. Sulphur oxides. Hydrofluoric Acid. hydrogenchloride. Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Firefighting instructions	: Dilute toxic gases with water spray. Contain the extinguishing fluids by bunding (the product is hazardous for the environment).
Protection during firefighting	: Gloves. Protective non-flammable clothing. Heat/fire exposure: compressed air/oxygen apparatus. Safety glasses.
Other information	: Do not dispose of fire-fighting water in the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.
Emergency procedures : Avoid contact with skin and eyes. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment : Protective gloves. Protective clothing. Eye protection.

6.2. Environmental precautions

Contain the spilled material by bunding. Contain leaking substance, pump over in suitable containers. Stop leak if safe to do so. Do not flush into surface water or sewer system. Do not allow uncontrolled discharge of product into the environment.

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

- For containment : Take up liquid spill into absorbent material, e.g.: sand/earth. Shovel into suitable and closed container for disposal. Carefully collect remainder.
- Methods for cleaning up : Clean contaminated surfaces with an excess of water.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not discharge the waste into the drain.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : The floor of the depot should be impermeable and designed to form a water-tight basin.
- Storage conditions : Keep the container hermetically sealed. Store at ambient temperature.
- Maximum storage period : 2 year
- Packaging materials : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Hand protection:

Protective gloves. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not necessary with sufficient ventilation

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : clear.
- Colour : brown.
- Odour : odourless.
- Odour threshold : No data available
- pH : No data available
- pH solution : 7.17 (Aqueous solution 1%)
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : No data available
- Freezing point : No data available

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point	: No data available
Flash point	: > 79 °C
Auto-ignition temperature	: 436 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.0809 (20 °C)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 63 – 515 mPa.s (40°C); 156-914 mPa.s (20°C)
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None to our knowledge.

10.4. Conditions to avoid

Avoid formation of vapours.

10.5. Incompatible materials

None to our knowledge.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified. Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Not classified. Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Not classified. Based on available data, the classification criteria are not met

Ranman Top	
LD50 oral rat	> 2000 mg/kg bodyweight (female) (OECD 423 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (male/female) (OECD 402 method)
LC50 Inhalation - Rat	> 5.915 mg/l (Aerosol) (OECD 403 method)
Skin corrosion/irritation	: Not classified
Additional information	: Not irritating to rabbits on cutaneous application (OECD 404 method)
Serious eye damage/irritation	: Causes serious eye irritation.
Additional information	: Irritating to rabbits on ocular application (OECD 405 method)
Respiratory or skin sensitisation	: Not classified
Additional information	: Does not cause cutaneous sensitisation for guinea-pigs (OECD 406 method)
Germ cell mutagenicity	: Not classified. Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified. Based on available data, the classification criteria are not met

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

NOAEL (chronic, oral, animal/male, 2 years)	> 171 mg/kg bodyweight (rat)
---	------------------------------

Reproductive toxicity : Not classified

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

NOAEL (animal/male, F0/P)	89 mg/kg bw/day (rat)
---------------------------	-----------------------

NOAEL (animal/male, F1)	89 mg/kg bw/day (rat)
-------------------------	-----------------------

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

NOAEL (oral, rat, 90 days)	29.5 mg/kg bodyweight/day
----------------------------	---------------------------

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Ranman Top

LC50 fish 1	67.89 mg/l (96 hours) (Oncorhynchus mykiss) (OECD 203 method)
EC50 Daphnia 1	13.5 mg/l (48 hours) (Daphnia magna) (OECD 202 method)
ErC50 (algae)	48.71 mg/l (72 h) (Pseudokirchneriella subcapitata) (OECD 201 method)
NOEC (acute)	0.5 mg/l (72 hours) (Pseudokirchneriella subcapitata) (OECD 201 method)

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

NOEC chronic fish	0.09 mg/l (28d) (Pimephales promelas)
-------------------	---------------------------------------

NOEC chronic crustacea	0.011 mg/l (21d) (Daphnia magna)
------------------------	----------------------------------

12.2. Persistence and degradability

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

Biodegradation	Not biodegradable
----------------	-------------------

Methylnapthalenesulfonic acid/formaldehyde, copolymer, sodium salt (81065-51-2)

Persistence and degradability	Not rapidly degradable.
-------------------------------	-------------------------

Docusate sodium (577-11-7)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

BCF fish 1	286 (Oncorhynchus mykiss)
------------	---------------------------

Partition coefficient n-octanol/water (Log Pow)	3.2 (24-25°C)
---	---------------

12.4. Mobility in soil

cyazofamid (ISO); 4-chloro-2-cyano-N, N-dimethyl-5-p-tolylimidazole-1-sulfonamide (120116-88-3)

Partition coefficient n-octanol/water (Log Koc)	3.13
---	------

Ecology - soil	Product adsorbs onto the soil.
----------------	--------------------------------

12.5. Results of PBT and vPvB assessment

Ranman Top

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : No additional information available

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods






: Do not dispose of with domestic waste.

Product/Packaging disposal recommendations

: Incinerate at a licensed installation. Dispose of in accordance with relevant local regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid)	Environmentally hazardous substance, liquid, n.o.s. (Cyazofamid)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid)
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Cyazofamid), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyazofamid), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user


Overland transport

Special provisions (ADR)

: 274, 335, 375, 601

Orange plates

:



EAC code

: •3Z

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

Classification code (ADN)

: M6

Number of blue cones/lights (ADN)

: 0

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Ranman Top

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
2.1	Additional information	Added	
14.1	Additional information	Added	

Data sources : SDS of suppliers.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

SDS EU (REACH Annex II) BCP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.